Stagwood
COLLECTION

Caversham Tiles. EST. 1980

Altwood Tiles. EST. 1980

Wokingham Tiles. EST. 1980

is proud to present...

Stagwood
COLLECTION

A sophisticated collection inspired by the handcrafted characteristics of timber.

The beauty of the wood is intensified by natural and classic hues enhanced by elegant veining.

Surfaces tiled with one size plank 20x120 give an exclusive and unique look to the space, linking modern and tradition.

Stagwood
SETTINGS

stagwood broad 20 x 120 8”x 48”

Caversham Tiles. EST. 1980

Altwood Tiles. EST. 1980

Wokingham Tiles. EST. 1980

broad

stagwood broad 20 x 120 8"x 48"

stagwood roy
20 x 120 8"x 48"

roy

stagwood roy
20 x 120 8”x 48”

ope

stagwood ope
20 x 120 8"x 48"

stagwood oak
20 x 120 8"x 48"

sca

stagwood oak
20 x 120 8”x 48”

fen

stagwood fen
20 x 120 8"x 48"



stagwood fen
20 x 120 8″x 48″

stagwood glo
20 x 120 8"x 48"

glo

stagwood bols
20 x 120 8"x 48"

bols

stagwood bols
20 x 120 8"x 48"

stagwood metro
20 x 120 8"x 48"

metro

Realized with modern technology, Stage collection is perfect both for public spaces and private places.

Stagwood
COLOURS

Stagwood
TECHNICALS

sizes

naturale

20 x 120
8" x 48"

layng solution



20 x 120 8" x 48' **100 %**



20 x 120 8" x 48" (2pz) **100 %**



20 x 120 8" x 48" (2pz) **100 %**



20 x 120 8" x 48" **100 %**



20 x 120 8" x 48" (3pz) **100 %**

technicals

assorbimento d'acqua water absorption	**<0,5%**	spessore thickness	**10 mm**
resistenza alla flessione breaking strength	**35 N/mm²**	coefficiente d'attrito (scivolosità) static coefficient of friction	**DIN51130** **A** **R9** **DCOF** **BOT3000** **> 0.42**
resistenza al gelo frost resistance	**resiste** **frost proof**	variazioni cromatiche color shade variations	**V2 variazione leggera** **V2 slight variation**
resistenza agli acidi resistance to acid	**GLA**	planarità flatness planéité ebenheit	**UNI EN ISO 10545/2** **± 0.5 %** **conforme - complying** **conforme - erfüllt**
resistenza all'abrasione (PEI) resistance against abrasion (PEI)	**V**		
resistenza alle macchie stain resistance	**5**		

packing

spessore thickness	pezzi/sc pcs/box	mq/sc sqm/box	kg/sc kgs/box	sc/pl box/pal	mq/pl sqm/pal	kg/pl kgs/pal
10	3	0.72	18.50	40	28.80	740.00

Ceramics of Italy

Caversham Tiles. EST. 1980
55 Donkin Hill Caversham
Reading RG4 5DG
T: +44 (0)118 954 3315
F: +44 (0)118 954 3316

Altwood Tiles. EST. 1980
84 Altwood Road
Maidenhead SL6 4QB
T: +44 (0)1628 509 579
F: +44 (0)1628 630 911

Wokingham Tiles. EST. 1980
125 Reading Road
Wokingham RG41 1HD
T: +44 (0)118 977 9900
F: +44 (0)118 977 9908